9334 Septone Bio-Green Concentrate Primepac Industrial Limited

Chemwatch: 7753564 Version No: 7.1.1.1

Safety Data Sheet according to WHS and ADG requirements

Chemwatch Hazard Alert Code: 2

Issue Date: 03/09/2020 Print Date: 28/03/2021 S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

| Product name | eptone Bio-Green Concentrate | |
|----------------------------------|------------------------------|--|
| Chemical Name | Applicable | |
| Synonyms | Product code: 9334 | |
| Chemical formula | Not Applicable | |
| Other means of identification | Not Available | |

PRIMEPAC

Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | General purpose biodegradable quick break cleaner / degreaser. |
|--------------------------|--|
|--------------------------|--|

Details of the supplier of the safety data sheet

| Registered company name | Primepac Industrial Limited | |
|-------------------------|--|--|
| Address | 5 Orbit Drive, Mairangi Bay, Auckland 0632 | |
| Telephone | 00 277 772 | |
| Fax | 0800 622 226 | |
| Website | www.primepac.co.nz | |
| Email | sales@primepac.co.nz | |

Emergency telephone number

| Association / Organisation | ITW AAMTech Australia | CHEMWATCH EMERGENCY RESPONSE |
|-----------------------------------|-----------------------|------------------------------|
| Emergency telephone numbers | 1800 039 008 | +61 2 9186 1132 |
| Other emergency telephone numbers | Not Available | +61 1800 951 288 |

Once connected and if the message is not in your prefered language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

| Poisons Schedule | Not Applicable | |
|--------------------|--|--|
| Classification [1] | Skin Corrosion/Irritation Category 2, Eye Irritation Category 2A, Skin Sensitizer Category 1 | |
| Legend: | 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI | |

Label elements

| ning |
|------|
| ni |

Hazard statement(s)

H315

Causes skin irritation.

| H319 | Causes serious eye irritation. |
|------|--------------------------------------|
| H317 | May cause an allergic skin reaction. |

Precautionary statement(s) General

| P101 | If medical advice is needed, have product container or label at hand. | |
|------|---|--|
| P102 | Keep out of reach of children. | |
| P103 | Read carefully and follow all instructions. | |

Precautionary statement(s) Prevention

| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ | |
|------|---|--|
| P261 | Avoid breathing mist/vapours/spray. | |
| P272 | Contaminated work clothing should not be allowed out of the workplace. | |

Precautionary statement(s) Response

| P302+P352 | IF ON SKIN: Wash with plenty of water. | |
|----------------|--|--|
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. | |
| P337+P313 | If eye irritation persists: Get medical advice/attention. | |

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name |
|---------------|-----------|--|
| 5989-27-5 | 1-10 | d-limonene |
| 68511-37-5 | 1-10 | mono-C12-14-alkyl phosphate ethoxylated |
| 68439-50-9 | 1-10 | alcohols C12-14 ethoxylated |
| Not Available | balance | Ingredients determined not to be hazardous |
| Not Available | | including |
| 7732-18-5 | | water |

SECTION 4 First aid measures

Description of first aid measures

| Eye Contact | If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|---|
| Skin Contact | If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. |

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances.

In such an event consider:

foam.

Special hazards arising from the substrate or mixture

| Fire Incompatibility None known. |
|----------------------------------|
|----------------------------------|

Advice for firefighters

| Fire Fighting | Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. |
|-----------------------|---|
| Fire/Explosion Hazard | The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Combustion products include: carbon dioxide (CO2) phosphorus oxides (POx) other pyrolysis products typical of burning organic material. |
| HAZCHEM | Not Applicable |

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

| Minor Spills | Slippery when spilt. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. |
|--------------|---|
| Major Spills | Slippery when spilt. Minor hazard. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment as required. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

| Safe handling | DO NOT allow clothing wet with material to stay in contact with skin Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. When handling DO NOT eat, drink or smoke. |
|-------------------|--|
| Other information | Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. |

Conditions for safe storage, including any incompatibilities

| Suitable container | Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. |
|-------------------------|---|
| Storage incompatibility | Avoid reaction with oxidising agents |

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

| Ingredient | TEEL-1 | TEEL-2 | TEEL-3 |
|------------|--------|--------|---------|
| d-limonene | 15 ppm | 67 ppm | 170 ppm |
| | | | |

| Ingredient | Original IDLH | Revised IDLH |
|---|---------------|---------------|
| d-limonene | Not Available | Not Available |
| mono-C12-14-alkyl phosphate ethoxylated | Not Available | Not Available |
| alcohols C12-14 ethoxylated | Not Available | Not Available |
| water | Not Available | Not Available |

Occupational Exposure Banding

| Ingredient | Occupational Exposure Band Rating | Occupational Exposure Band Limit |
|---|--|----------------------------------|
| d-limonene | E | ≤ 0.1 ppm |
| mono-C12-14-alkyl phosphate ethoxylated | E | ≤ 0.1 ppm |
| alcohols C12-14 ethoxylated | E ≤ 0.1 ppm | |
| Notes: | Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health. | |

Exposure controls

| Appropriate engineering controls | General exhaust is adequate under normal operating conditions. |
|----------------------------------|---|
| Personal protection | |
| Eye and face protection | Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. |
| Skin protection | See Hand protection below |
| Hands/feet protection | Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber |
| Body protection | See Other protection below |
| Other protection | Overalls. Eyewash unit. |

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

| Appearance Clear green mobile foamy liquid with a citrus fragrance; mixes with water. | | | |
|---|--------|----------------------------|-------------|
| | | | |
| Physical state | Liquid | Relative density (Agua= 1) | 1.035 @ 25C |

| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
|---|----------------|--|----------------|
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available |
| pH (as supplied) | 7.0 | Decomposition temperature | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | 100 | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | Not Applicable | Taste | Not Available |
| Evaporation rate | as for water | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Applicable | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Applicable | Volatile Component (%vol) | 87 |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water | Miscible | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |

SECTION 10 Stability and reactivity

| Reactivity | See section 7 |
|-------------------------------------|--|
| Chemical stability | Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 Toxicological information

Information on toxicological effects

| Inhaled | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Not normally a hazard due to non-volatile nature of product | | |
|-------------------|--|--|--|
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. | | |
| Skin Contact | The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. | | |
| Eye | The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. | | |
| Chronic | Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population. Prolonged or repeated skin contact may cause drying with cracking, irritation and possible dermatitis following. | | |
| Septone Bio-Green | ΤΟΧΙΟΙΤΥ | IRRITATION | |
| Concentrate | Not Available | Not Available | |
| | ΤΟΧΙΟΙΤΥ | IRRITATION | |
| | Dermal (rabbit) LD50: >2 mg/kg ^[2] | Eye: no adverse effect observed (not irritating) ^[1] | |
| d-limonene | Oral(Rat) LD50; >2000 mg/kg ^[1] | Skin (rabbit): 500mg/24h moderate | |
| | | Skin: no adverse effect observed (not irritating) ^[1] | |
| | | | |
| mono-C12-14-alkyl | тохісіту | IRRITATION | |

| alcohols C12-14 ethoxylated | TOXICITY | IRRITATION |
|--------------------------------|---|--|
| | dermal (rat) LD50: >=2000 mg/kg ^[1] | Eye (rabbit): irritant * |
| | Inhalation(Rat) LC50; >1.6 mg/l4 ^[1] | Eye: no adverse effect observed (not irritating) ^[1] |
| | Oral(Rat) LD50; >2000 mg/kg ^[1] | Skin (rabbit): irritant * |
| | | Skin: no adverse effect observed (not irritating) ^[1] |
| | ΤΟΧΙΟΙΤΥ | IRRITATION |
| water | Oral(Rat) LD50; >90 mg/kg ^[2] | Not Available |
| Legend: | Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances | |

| D-LIMONENE | The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions. The significance of the contact allergen is not simply determined by its sensitisation potential: the distribution of the substance and the opportunities for contact with it are equally important. d-Limonene is readily absorbed by inhalation and swallowing. Absorption through the skin is reported to the lower than by inhalation. It is rapidly distributed to different tissues in the body, readily metabolized and eliminated, primary through the urine. Limonene shows low acute toxicity by all three routes in animals. Limonene is a skin irritant in both experimental animals and humans. Adverse reactions to fragrances in perfumes and fragranced cosmetic products include allergic contact dermatitis, irritant contact dermatitis, sensitivity to light, immediate contact reactions, and pigmented contact dermatitis. Altorme and connubial contact dermatitis occurs. Contact allergy is a lifelong condition, so symptoms may occur on re-exposure. Allergic contact dermatitis can be severe and widespread, with significant impairment of quality of life and potential consequences for finess for work. If the perfume contais a sensitizing ragrance chemicals are directly reactive, but some require previous activation. A prehapten is a chemical that itself causes little or no sensitization, but it is transformed into a hapten outside the skin by a chemical reaction (xxidation in air or reaction with light) without the requirement of an enzyme. For prehaptens, it is possitible to prevent activation outside the body to a certain extent by different measures, for example, prevention of air exposure |
|---|---|
| MONO-C12-14-ALKYL PHOSPHATE ETHOXYLATED | For alkyl alcohol alkoxylate phosphate (AAAPD) surfactants (alkyl or alcohol ether phosphates): Acute toxicity: This group of surfactants exhibit similar effects to the alcohol ether sulfates (AAASDs, such as sodium lauryl ether sulfate). They are likely to be irritating to the skin and eyes (R36/R38) in their undiluted forms, but not acutely toxic. Commercial products may contain excess phosphoric acid and may produce serious eye irritation (R41) or may even be classified as corrosive, acidic substances. Subchronic toxicity: Animal testing shows that these substances have relatively low chronic toxicity. Effects usually included enlargement of the liver. |
| ALCOHOLS C12-14 ETHOXYLATED | Humans have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents and other cleaning products. Exposure to these chemicals can occur through swallowing, inhalation, or contact with the skin or eyes. Studies of acute toxicity show that relatively high volumes would have to occur to produce any toxic response. No death due to poisoning with alcohol ethoxylates has ever been reported. Both laboratory and animal testing has shown that there is no evidence for alcohol ethoxylates (AEs) causing genetic damage, mutations or cancer. No adverse reproductive or developmental effects were observed. Tri-ethylene glycol ethers undergo enzymatic oxidation to toxic alkoxy acids. They may irritate the skin and the eyes. At high oral doses, they may cause depressed reflexes, flaccid muscle tone, breathing difficulty and coma. Death may result in experimental animal. The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. * BASF Canada ** [Henkel CCINFO 1450373] |
| MONO-C12-14-ALKYL PHOSPHATE ETHOXYLATED & WATER | No significant acute toxicological data identified in literature search. |

| Acute Toxicity | × | Carcinogenicity | × |
|-----------------------------------|---|--------------------------|---|
| Skin Irritation/Corrosion | ¥ | Reproductivity | × |
| Serious Eye Damage/Irritation | × | STOT - Single Exposure | × |
| Respiratory or Skin sensitisation | × | STOT - Repeated Exposure | × |
| Mutagenicity | × | Aspiration Hazard | × |

Legend:

Data either not available or does not fill the criteria for classification
 Data available to make classification

SECTION 12 Ecological information

Toxicity

| Not Available | Not Available | Not Available | | Not Available | Not Availab |
|------------------|--|--|--|--|---|
| En la clari | | | | | |
| Endpoint | Test Duration (hr) | Species | Value | | Sourc |
| EC50(ECx) | 72 | Fish | >0.00 | 1<0.002mg/L | 4 |
| EC50 | 48 | Crustacea | 0.307mg/l | | 2 |
| LC50 | 96 | Fish | 0.46m | ıg/l | 2 |
| EC50 | 72 | Algae or other aquatic plants | 0.214r | mg/l | 2 |
| Endpoint | Test Duration (hr) | Species | | Value | Source |
| Not Available | Not Available | Not Available | | Not Available | Not Availat |
| Endpoint | Test Duration (hr) | Species | | Value | Sour |
| LC50 | 96 | Fish | | 1.1mg/l | 2 |
| EC50 | 48 | Crustacea | | 0.53mg/l | 2 |
| EC0(ECx) | 72 | Algae or other aquatic plants | | 0.035mg/l | 2 |
| EC50 | 72 | Algae or other aquatic plants | | 0.13mg/l | 2 |
| Endpoint | Test Duration (hr) | Species | | Value | Source |
| Not Available | Not Available | Not Available | | Not Available | Not Availat |
| | EC50 EC50 EC50 Endpoint Not Available Endpoint LC50 EC50 EC0(ECx) EC50 EC50 EC50 EC50 EC50 EC50 | EC5048LC5096EC5072EndpointTest Duration (hr)Not AvailableNot AvailableEndpointTest Duration (hr)LC5096EC5048EC0(ECx)72EC5072EndpointTest Duration (hr)Not AvailableNot Available | EC5048CrustaceaLC5096FishEC5072Algae or other aquatic plantsEndpointTest Duration (hr)SpeciesNot AvailableNot AvailableNot AvailableEndpointTest Duration (hr)SpeciesLC5096FishEC5096FishEC5048CrustaceaEC0(ECx)72Algae or other aquatic plantsEC5072Algae or other aquatic plantsEC5072Algae or other aquatic plantsEC5072Not AvailableNot AvailableNot AvailableNot AvailableNot AvailableNot AvailableNot AvailableNot AvailableNot AvailableNot AvailableNot Available | EC5048Crustacea0.307rLC5096Fish0.46mEC5072Algae or other aquatic plants0.214rEndpointTest Duration (hr)SpeciesNot AvailableNot AvailableNot AvailableNot AvailableNot AvailableSpeciesEndpointTest Duration (hr)SpeciesEndpointTest Duration (hr)SpeciesLC5096FishEC5048CrustaceaEC0(ECx)72Algae or other aquatic plantsEC5072Algae or other aquatic plantsEC5072Not AvailableNot AvailableNot AvailableNot AvailableNot AvailableNot AvailableNot AvailableNot AvailableNot Available | EC50 48 Crustacea 0.307mg/l LC50 96 Fish 0.46mg/l EC50 72 Algae or other aquatic plants 0.214mg/l Endpoint Test Duration (hr) Species Value Not Available Not Available Not Available Not Available Endpoint Test Duration (hr) Species Value LC50 96 Fish 1.1mg/l Ec50 48 Crustacea 0.53mg/l EC50 48 Crustacea 0.53mg/l EC0(ECx) 72 Algae or other aquatic plants 0.035mg/l EC50 72 Algae or other aquatic plants 0.13mg/l EC50 72 Not Available Not Available |

DO NOT discharge into sewer or waterways.

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------|-------------------------|------------------|
| d-limonene | HIGH | HIGH |
| water | LOW | LOW |

Bioaccumulative potential

| Ingredient | Bioaccumulation |
|------------|------------------------|
| d-limonene | HIGH (LogKOW = 4.8275) |
| water | LOW (LogKOW = -1.38) |

Mobility in soil

| Ingredient | Mobility |
|------------|------------------|
| d-limonene | LOW (KOC = 1324) |
| water | LOW (KOC = 14.3) |

Waste treatment methods

| Product / Packaging disposal | Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill. Recycle containers if possible, or dispose of in an authorised landfill. |
|---------------------------------|--|
|---------------------------------|--|

SECTION 14 Transport information

Labels Required

| Marine Pollutant | NO |
|------------------|----------------|
| HAZCHEM | Not Applicable |

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group |
|---|---------------|
| d-limonene | Not Available |
| mono-C12-14-alkyl phosphate ethoxylated | Not Available |
| alcohols C12-14 ethoxylated | Not Available |
| water | Not Available |

Transport in bulk in accordance with the ICG Code

| Product name | Ship Type |
|---|---------------|
| d-limonene | Not Available |
| mono-C12-14-alkyl phosphate ethoxylated | Not Available |
| alcohols C12-14 ethoxylated | Not Available |
| water | Not Available |

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

d-limonene is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

mono-C12-14-alkyl phosphate ethoxylated is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

alcohols C12-14 ethoxylated is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

water is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

National Inventory Status

| National Inventory | Status | |
|--|--|--|
| Australia - AIIC / Australia Non-Industrial Use | Yes | |
| Canada - DSL | Yes | |
| Canada - NDSL | No (d-limonene; mono-C12-14-alkyl phosphate ethoxylated; alcohols C12-14 ethoxylated; water) | |
| China - IECSC | Yes | |

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

Australian Inventory of Industrial Chemicals (AIIC)

| National Inventory | Status | | |
|----------------------------------|---|--|--|
| Europe - EINEC / ELINCS / NLP | No (mono-C12-14-alkyl phosphate ethoxylated) | | |
| Japan - ENCS | No (mono-C12-14-alkyl phosphate ethoxylated; alcohols C12-14 ethoxylated) | | |
| Korea - KECI | Yes | | |
| New Zealand - NZIoC | Yes | | |
| Philippines - PICCS | Yes | | |
| USA - TSCA | Yes | | |
| Taiwan - TCSI | Yes | | |
| Mexico - INSQ | No (mono-C12-14-alkyl phosphate ethoxylated; alcohols C12-14 ethoxylated) | | |
| Vietnam - NCI | Yes | | |
| Russia - FBEPH | No (mono-C12-14-alkyl phosphate ethoxylated) | | |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) | | |

SECTION 16 Other information

| Povision Data | 03/09/2020 |
|---------------|------------|
| Revision Date | 05/09/2020 |
| Initial Date | 21/12/2012 |

SDS Version Summary

| Version | Issue Date | Sections Updated |
|---------|------------|--|
| 6.1.1.1 | 01/11/2019 | One-off system update. NOTE: This may or may not change the GHS classification |
| 7.1.1.1 | 03/09/2020 | Classification change due to full database hazard calculation/update. |

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.